


# CONNECTIONS




SHORT CONNECTOR  
(RN-EJZ-1373)

(PIN VIEW)

13P DIN CONNECTOR  
(FEMALE)



## RV TV 3 — DIGITAL TV SETUP USING LCD TVs W/BUILT-IN ANALOG/DIGITAL USING WINEGARD VIDEO SWITCH (not an antenna wall plate)




© Copyright 2008. Tom Hughes.

**Premium audio optional power amplifier harness connectors**

Connector C0491 is a 12 pin connector used for audio and power inputs from navigation/ICE radio receiver/audio unit for power amplifier operation.

**12 pin connector C0491 (white)**



M86 5048

Pin No.	Description
1	Speaker - Left front +
2	Speaker - Right front +
3	Speaker - Left rear +
4	Earth
5	Ignition switch (AUX) power supply
6	Speaker - Left front
7	Speaker - Right front
8	Speaker - Left rear
9	Speaker - Right rear +
10	Speaker - Right rear
11	Earth
12	Ignition switch (AUX) supply


**Pressauto.NET**

## INTERCONNECT WIRING COLOR

12 VOLT IGNITION/Acc.	RED
12 VOLT BATT/MEMORY	YELLOW
GROUND	BLACK
POWER ANTENNA	BLUE
AMP TURN ON	BLUE /
AMP GROUND	BLACK
ILLUMINATION	ORANGE
DIMMER	ORANGE
PHONE MUTE	BROWN
RIGHT FRONT+	GRAY
RIGHT FRONT-	GRAY /
LEFT FRONT+	WHITE
LEFT FRONT-	WHITE
RIGHT REAR+	VIOLET
RIGHT REAR-	VIOLET
LEFT REAR+	GREEN
LEFT REAR-	GREEN

## AUDIO

AV-AUDIO-06



16 12 M41  
15 14 13 11 W

1 2 3 4 5 6 7 8 9 10  
11 12 13 14 15 16 17 18 B2  
W

REFER TO THE FOLLOWING.  
B1 -SUPER MULTIPLE JUNCTION (SMJ)

1 2 3 4 5 6 7 8 9 10 B19 . B25  
11 12 13 14 15 16 17 18 W W

1 2 3 4 5 6 7 8 9 10 11 12 13  
14 15 16 17 18 19 20 21 22 23 24 25 26 B114  
GY

Port controlled by null switch

(a)

Fan wiring

